

**BILKA  
ACOUSTIC WALL**



Acoustic Wall Panel

**BILKA PVC PROFIL SAN VE TIC AS**

Anadolu OSB 29 Ekim Cad No33 Sincan/ Ankara




# ACOUSTIC WALL PANEL

BILKA WOOD PANEL



## ABOUT US


- Founded in 2000, Bilka Acoustic Wood Panel specializes in the production of acoustic wall panels. Since our establishment, we have consistently maintained high-quality standards by independently manufacturing all our applications in-house. As an export-oriented company, we provide innovative and reliable acoustic solutions to customers worldwide.
- With our team of experienced professionals, we have become a recognized and trusted brand in the industry. Prioritizing customer satisfaction and sustainability, we are committed to helping you achieve the highest performance in your projects.



## DESCRIPTION

Your space will be easier to hear in and beautiful to be in with our BILKA WOOD PANEL® Designer Acoustic Slat Wood Wall and Ceiling Panels. Our decorative acoustic panels consist of slatted wood which is applied to a premium acoustic felt backing. Both the wood and PET felt backing offer noise-reduction strength. These modern acoustic wall panels are incredibly popular among architects and designers because they are an eco-friendly way to mitigate noise and reverberation with an elegant aesthetic, stylishly bringing the outdoors inside. They are incredibly versatile and well-suited for offices, home theaters, studios, and living spaces. They can be used in nearly any interior space to create a statement feature wall, enhance a ceiling, or transform an entire room.


# Swatches



Step 1 - Measurement

Step 2 - Cutting Width


Step 3 - Cutting Length



Option 1: Screw fixing - marking

Option 1: Screw fixing - drilling holes

Option 1: Screw fixing-plugs






Option 1: Screw fixing

Option 2: Grab Binder


Completion results

## Product Dimension



**BILKA  
ACOUSTIC  
WALL**

# High-Quality Natural Wood Veneer Panels



## TECHNICAL DETAIL

**MATERIALS :** Wood-veneered MDF board on a 100% Polyethelene Terephthalate (PET) backer

**COLORS:** Light Oak, Dark Oak, Grey Oak, Walnut  
**Or PVC Covered with PVC Foils**

**FIRE RATING:** **CLASS B1 - DIN 4102-1 / TS EN 13501-1 + A1:2013-04**

**SIZE:** **60\*280 cm - 50\*50 CM - 32\*240 CM** or custom size

**THICKNESS:** **9 mm - 12 mm - 15 mm - 18 mm - 21 mm - 27 mm**



## DESCRIPTION

Our BILKA WOOD PANEL® Designer Acoustic Slat Wood Wall Panels are also environmentally responsible and eligible for LEED (Leadership in Energy and Environmental Design) MRc4 credits. The wood strips are sourced from sustainable forestry. Our premium acoustic felt is 100% Polyethylene Terephthalate (PET) plastic from recycled bottles and is 100% recyclable. The material is porous, fire-rated, long-lasting, and easy to maintain making it well-suited for acoustic treatments in both commercial and residential settings.

**BILKA  
ACOUSTIC WALL**

# Quick, Stress-Free Installation

1 Measure

2 Mark

3 Secure



Use 15 black screws on each panel



Or use glue/  
adhesive for  
wall mounting


## INSTALLATION





## DESCRIPTION

The wood-veneered MDF board strips and felt backing are both lightweight materials, making the panels easy to install by professionals. They can be trimmed on-site to fit your wall space, applied directly to the wall with screws and adhesive, or applied to furring strips for enhanced sound absorption.



# Luxury Interior Design In Minutes



Japanese-inspired  
seamless design



Instantly add contemporary  
style and balance to any room



Lightweight &  
easy-to-install

## FEATURES

- High quality material and stylish design
- Choice of 4 woodgrain veneers
- Fast installation without heavy-duty equipment
  - Can be installed on walls or ceilings
- Built-in spacers
- Enhanced interior sound quality

## INSTALL METHODS

- Wall: Furring strip, direct with screws & adhesive
- Ceiling: furring strip


## ENVIRONMENTAL FACTOS

- PET is 100% recyclable • 55% recycled content • Low VOC emissions

## EASY TO USE

They can be trimmed on-site to fit your wall space, applied directly to the wall with screws and adhesive, or applied to furring strips for enhanced sound absorption.





## TECHNICAL DRAWING

Overall dimensions: **600\*2800\*27mm**

The felt: **600\*2800\*9mm**

The slats: **27\*2800\*12mm**


The surface: **27\*2800\*1mm**

Material: **PET Polyester Fiber**

**MDF , WOOD VENEER , PVC FOIL**

“The dimensions in the image may vary and are for representation purposes only.”

## Product Dimension



## TECHNICAL DRAWING



# BILKA ACOUSTIC WOOD PANEL

BILKA PVC PROFIL SAN VE TIC AS

Anadolu OSB 29 Ekim Cad No33 Sincan/  
Ankara, Turkiye

[www.bilkapen.com.tr](http://www.bilkapen.com.tr)